



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	D. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/052,163 01/17/2002		Syoichiro Yoshiura	56892 (70904)	3184		
21874	7590	09/14/2005		EXAMINER		
EDWARDS P.O. BOX 5		ELL, LLP	POKRZYWA, JOSEPH R			
BOSTON, N)5		ART UNIT	PAPER NUMBER	
,				2622		
				DATE MAILED: 09/14/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.		Applicant(s)					
Office Action Summary			10/052,163		YOSHIURA ET AL.				
			Examiner		Art Unit				
			Joseph R. Po	okrzywa	2622				
Period fo	The MAILING DATE of this commun r Reply	nication appe	ears on the c	over sheet with the c	orrespondence ad	ldress			
WHIC - Exter after - if NO - Failu Any i	ORTENED STATUTORY PERIOD F CHEVER IS LONGER, FROM THE N asions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this coming period for reply is specified above, the maximum sine to reply within the set or extended period for reply eply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	MAILING DA s of 37 CFR 1.136 munication. tatutory period will y will, by statute, o	TE OF THIS 6(a). In no event, ill apply and will ex cause the applica	COMMUNICATION however, may a reply be tim price SIX (6) MONTHS from the become ABANDONED	l. ely filed the mailing date of this co O (35 U.S.C. § 133).				
Status									
1)	Responsive to communication(s) file	ed on							
·									
• • • • • • • • • • • • • • • • • • • •	· <u>·</u>								
٥,۵	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims									
· _									
	Claim(s) <u>1-20</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration.								
_	Claim(s) is/are allowed.								
· —	Claim(s) <u>1-20</u> is/are rejected.								
	_								
	on Papers		•						
_									
•	The specification is objected to by the			od oz b\\\ obiodod	4a b. 4ba C				
Ю	The drawing(s) filed on <u>17 January 2</u> Applicant may not request that any obje					er.			
	Replacement drawing sheet(s) including		,	•	` '	TD 4 404(4)			
11)[]	The oath or declaration is objected to					• •			
	inder 35 U.S.C. § 119	o by the Exe	ammer. Note	the attached Office	Action of form P1	0-102.			
	•								
	12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).								
a)ı	a)⊠ All b)□ Some * c)□ None of:								
	1. Certified copies of the priority documents have been received.								
	 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage 								
	application from the Internation				d in this National	Stage			
* 0	see the attached detailed Office action		•		d				
	so the address detailed office delic	on for a list U	n une cerune	a copies not receive	u.				
	,								
Attachment				— .					
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (F	P.TO-948)	4)						
3) 🛛 Inforr	nation Disclosure Statement(s) (PTO-1449 or No(s)/Mail Date <u>1/17/02 & 5/24/05</u> .		•		atent Application (PTC	O-152)			

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Information Disclosure Statement

2. The references listed in the Information Disclosure Statement submitted on 1/17/02 and 5/24/05 have been considered by the examiner (see attached PTO-1449).

Drawings

3. The drawings received on 1/17/02 are acceptable by the examiner.

Claim Rejections - 35 USC § 112

- 4. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 5. Claims 14 and 20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 6. Claims 14 and 20 are rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential elements, such omission amounting to a gap between the elements. See MPEP § 2172.01. The omitted elements are:

In *claims 14 and 20*, the claims should recite a limitation that provides at least two portable terminals, as in claim 14, line 3, and in claim 20, line 5, the claims recite of communicating with "either of portable terminals", which implies that more than one is used. Further, in lines 10-19 of claim 14 and lines 8-24 of claim 20, numerous references to "the portable terminal" are stated, which implies that only a single portable terminal is used. Thus, it is unclear whether two or only one portable devices are used, as the claims are currently worded.

In *claim 20*, the claim is unclear as in line 2 the claim recites "a plurality of electronic apparatuses", then in line 3, the claim requires "said electronic apparatus". Which of the plurality of electronic apparatuses is "said electronic apparatus" referring to?

Claim Rejections - 35 USC § 102

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 8. Claims 1-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Nakagawa *et al.* (U.S. Patent Number 5,950,148).

Regarding *claim 1*, Nakagawa discloses a method for managing electronic apparatuses (host computer 40) comprising the step of causing the electronic apparatuses to verify identification information of a portable terminal (portable terminal device 30) which demands

apparatus management information with respect to the electronic apparatus (column 14, lines 10-64), and transmit the apparatus management information in accordance with the portable terminal to the portable terminal which demanded the apparatus management information (column 14, lines 10-64).

Regarding *claim 2*, Nakagawa discloses the method discussed above in claim 1, and further teaches of causing the electronic apparatus to regularly perform a maintenance management of the electronic apparatus and store the apparatus management information (column 11, lines 10-49).

Regarding *claim 3*, Nakagawa discloses the method discussed above in claim 1, and further teaches of causing the portable terminal to transmit the apparatus management information which was acquired to an apparatus management center where apparatus management of a plurality of electronic apparatuses is performed synthetically (column 11, line 10-column 12, line 9).

Regarding *claim 4*, Nakagawa discloses the method discussed above in claim 1, and further teaches of causing the electronic apparatus to transmit the latest apparatus management information to the portable terminal in accordance with the identification information of the portable terminal which demanded the apparatus management information with respect to the electronic apparatus (column 10, lines 5-column 11, line 49, and column 12, lines 23-42).

Regarding *claim 5*, Nakagawa discloses the method discussed above in claim 1, and further teaches of causing the electronic apparatus to transmit the apparatus management information relating to consumable goods to the portable terminal in accordance with the identification information of the portable terminal which demanded the apparatus management

Application/Control Number: 10/052,163

Art Unit: 2622

information with respect to the electronic apparatus (column 10, lines 5-column 11, line 49, and column 12, lines 23-42).

Regarding *claim* 6, Nakagawa discloses the method discussed above in claim 1, and further teaches of causing the electronic apparatus to transmit the apparatus management information relating to the latest operating condition to the portable terminal in accordance with the identification information of the portable terminal which demanded the apparatus management information with respect to the electronic apparatus (column 10, lines 5-column 11, line 49, and column 12, lines 23-42).

Regarding *claim* 7, Nakagawa discloses the method discussed above in claim 2, and further teaches of causing the portable terminal to transmit the apparatus management information which was acquired to an apparatus management center where apparatus management of a plurality of electronic apparatuses is performed synthetically (column 11, line 10-column 12, line 9).

Regarding *claim 8*, Nakagawa discloses the method discussed above in claim 2, and further teaches of causing the electronic apparatus to transmit the latest apparatus management information to the portable terminal in accordance with the identification information of the portable terminal which demanded the apparatus management information with respect to the electronic apparatus (column 10, lines 5-column 11, line 49, and column 12, lines 23-42).

Regarding *claim 9*, Nakagawa discloses the method discussed above in claim 2, and further teaches of causing the electronic apparatus to transmit the apparatus management information relating to consumable goods to the portable terminal in accordance with the identification information of the portable terminal which demanded the apparatus management

Application/Control Number: 10/052,163

Art Unit: 2622

information with respect to the electronic apparatus (column 10, lines 5-column 11, line 49, and column 12, lines 23-42).

Regarding *claim 10*, Nakagawa discloses the method discussed above in claim 2, and further teaches of causing the electronic apparatus to transmit the apparatus management information relating to the latest operating condition to the portable terminal in accordance with the identification information of the portable terminal which demanded the apparatus management information with respect to the electronic apparatus (column 10, lines 5-column 11, line 49, and column 12, lines 23-42).

Regarding *claim 11*, Nakagawa discloses the method discussed above in claim 3, and further teaches of causing the electronic apparatus to transmit the latest apparatus management information to the portable terminal in accordance with the identification information of the portable terminal which demanded the apparatus management information with respect to the electronic apparatus (column 10, lines 5-column 11, line 49, and column 12, lines 23-42).

Regarding *claim 12*, Nakagawa discloses the method discussed above in claim 3, and further teaches of causing the electronic apparatus to transmit the apparatus management information relating to consumable goods to the portable terminal in accordance with the identification information of the portable terminal which demanded the apparatus management information with respect to the electronic apparatus (column 10, lines 5-column 11, line 49, and column 12, lines 23-42).

Regarding *claim 13*, Nakagawa discloses the method discussed above in claim 3, and further teaches of causing the electronic apparatus to transmit the apparatus management information relating to the latest operating condition to the portable terminal in accordance with

Art Unit: 2622

the identification information of the portable terminal which demanded the apparatus management information with respect to the electronic apparatus (column 10, lines 5-column 11, line 49, and column 12, lines 23-42).

Regarding *claim 14*, Nakagawa discloses an electronic apparatus (host computer 40) comprising apparatus-side communication controlling means (CPU 41, see Fig. 3) for communicating with either of portable terminals (portable device 30 that connects to copying machine 1, as seen in Figs. 3 and 4), the apparatus-side communication controlling means (CPU 41) including inside-apparatus management information storage means for storing the apparatus management information of a main body of the electronic apparatus in plural levels (see Fig. 11, column 14, lines 10-64), identification information storage means for storing identification information to the identify the portable terminal of a communicating party (column 14, lines 10-45), apparatus-side controlling means for identifying the portable terminal in accordance with the identification information in the identification information storage means when a demand for the apparatus management information of the electronic apparatus from either of the portable terminals (column 14, lines 10-45), and for transmitting the apparatus management information of the level in accordance with the portable terminal from the inside-apparatus management information storage means (see Fig. 11, column 14, lines 10-64).

Regarding *claim 15*, Nakagawa discloses the apparatus discussed above in claim 14, and further teaches that the inside-apparatus management information storage means regularly stores maintenance management information (column 10, lines 5-column 11, line 49, and column 12, lines 23-42).

Art Unit: 2622

Regarding *claim 16*, Nakagawa discloses the apparatus discussed above in claim 14, and further teaches that the inside-apparatus management information storage means stores the apparatus management information relating to consumable goods (column 10, lines 5-24, and column 12, lines 23-42).

Regarding *claim 17*, Nakagawa discloses the apparatus discussed above in claim 14, and further teaches that the inside-apparatus management information storage means stores the apparatus management information relating to the latest operating condition (column 10, lines 5-column 11, line 49).

Regarding *claim 18*, Nakagawa discloses the apparatus discussed above in claim 15, and further teaches that the inside-apparatus management information storage means stores the apparatus management information relating to consumable goods (column 10, lines 5-24, and column 12, lines 23-42).

Regarding *claim 19*, Nakagawa discloses the apparatus discussed above in claim 15, and further teaches that the inside-apparatus management information storage means stores the apparatus management information relating to the latest operating condition (column 10, lines 5-column 11, line 49).

Regarding *claim 20*, Nakagawa discloses a management system comprising a plurality of electronic apparatuses (see Figs. 3 and 4), the electronic apparatus (host computer 40) including apparatus-side communication controlling means for communicating with either of portable terminals (portable device 30 that connects to copying machine 1, as seen in Figs. 3 and 4), the apparatus-side communication controlling means including inside-apparatus management information storage means for storing the apparatus management information of a main body of

Art Unit: 2622

the electronic apparatus in plural levels (see Fig. 11, column 14, lines 10-64), identification information storage means for storing identification information to the identify the portable terminal of a communicating party (column 14, lines 10-45), apparatus-side controlling means for identifying the portable terminal in accordance with the identification information in the identification information storage means when a demand for the apparatus management information of the electronic apparatus from either of the portable terminals (column 14, lines 10-45), and for transmitting the apparatus management information of the level in accordance with the portable terminal from the inside-apparatus management information storage means (see Fig. 11, column 14, lines 10-64), an apparatus management center (CPU 41 of host computer 40) where management of the plurality of electronic apparatuses is performed synthetically (column 10, lines 5-38, and column 11, line 10-column 12, line 9), terminal-side communication controlling means (portable terminal 30), and a portable terminal having a display section (display part 34, see Fig. 3), the terminal-side communication controlling means, further including inherent information management means for storing identification information of the portable terminal (column 9, line 60-column 10, line 4), application means for storing application softs relating to acquisition of apparatus management information of the electronic apparatus and transmission to the apparatus management center (column 9, line 60-column 10, line 38), storage means for storing the apparatus management information transmitted from the electronic apparatuses, communication means for communicating (column 9, line 60-column 10, line 38), and terminal-side controlling means for communicating with either of the electronic apparatuses so as to acquire the apparatus management information (column11, lines 10-49), displaying the apparatus management information that has been acquired on a display section (column 11, lines

Page 10

Art Unit: 2622

41-55, column 13, lines 7-50, and column 14, lines 10-64), storing the apparatus management information thus acquired in the storage means (column 11, lines 41-55, column 13, lines 7-50, and column 14, lines 10-64), and enabling to transmit the apparatus management information stored in the storage means to the apparatus management center (column 11, line 10-column 12, line 9).

Citation of Pertinent Prior Art

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Kodama (U.S. Patent Number 6,721,685) discloses a remote maintenance system; and Ota et al. (U.S. Patent Application Publication US2002/0053018) discloses a system that identifies a computer system based on an identifier comparison.

Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joe Pokrzywa whose telephone number is (571) 272-7410. The examiner can normally be reached on Monday-Friday, 9:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward L. Coles can be reached on (571) 272-7402. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/052,163

Art Unit: 2622

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Joseph R. Pokrzywa Primary Examiner Page 11

Joseph R Phym

jrp